



☐	☐	☐	☐	☐	MBK
☐	☐	☐	☐	☐	
☐ M?	☐				

☐	☐	☒	☐	☐
☐	☐	☐		

	\$			
☐	☐	☐	☐	☐
☐	☐	☐ NDA		

☐	☐	☐		
--------------------------	--------------------------	--------------------------	--	--

☐	☐	☐	☐	☐
☐	☐			

☐ DDA	☐ DNA	☐	☐	
------------------------------	------------------------------	--------------------------	--------------------------	--


QFCLXFCL KCEKCCR CJCARP%A?J AM,* JRB,

@ 3
?bb 3rf Djmmr*@jmai@*S l gqnc l bmspl dmp k _rgn l F _p`m p`J _leq f _ l Pb,*Qaqc l ac\$ Rcaf l mjmewN _pi* L _ l qf _ l Bgqrp ar*Q f c l x f c l*3/6.35'A f g l _


41 12
?bb 12rf Djmmr*Fgef+rcaf Xm l c S l gm l Rmucp`Lm,41Vscis Pm_b* L _ l qf _ l Bgqrp ar*Q f c l x f c l*3/6.35'A f g l _

Kce k ccrpcqptcqrfc pgefr m kmbglwrfcrafl gaj_n _ k crcpq _ l b _nnc _ l acmrfc ngmbsarqgl r f g q a _ r _ j m e s c u g r f m s r n g g m p _ b t g a c m r f c s q c p q,

T,01,.4










			
	MZ800-TT207SK30/31W	MZ800-TT210SK30/31	MZ800-TT210SK30W
	7 16 9 TFT LCD	10.1 16:9TFT LCD	10.1 16 9 TFT LCD
	1024 × 600		
	TFT LCD		
T/B/L/R	85'/85'/85'/85'	85'/85'/85'/85'	
	350	400	
	24		
	4		
	1.2GHz ARMCortex-A7		
	128MB DDR3+4GB EMMC		
RTC			
	30: 31:1 10M/100M		
SD	30: 31:		
USB	1 USB Slave 2.0 1 USB Host 2.0		
	COM1 RS232/RS485/RS422 COM2 RS485/RS422 COM3 RS232		
	10W		
	DC24V DC 9V~28V		
	5ms		
CE	EN61000-6-2:2005 EN61000-6-4:2007	RoHS ± 1KV ± 2KV	4KV 8KV
	0~50		
	-20~60		
	10~90%RH		
	10~25Hz X Y Z 2G/30		
	IP65		IP20
	204 × 145 × 33.8	273 × 213 × 36	
	192 × 138	260 × 202	



KX6.. FKG

KX6..+RR.3QI1.

KX6..+RR.3QI1/



KX6..+RR/.5QI1.

KX6.. FKG

KX6..+RR0.5QI1.-1/

KX6..+RR0.5QI1.-1/U

KX6..+RR0/.QI1.-1/

KX6.. FK6

KX6..+RR0/.QI1.U


KX6..+RR0/3QI1/

KX6..+RR.5QI1/K

KX6..+RR0/.QI1/K

KX6..+RR00N

KX6..



KX4.. FKG

■ FKG

KX4..+RR0/.QI-Q?

■■■■■

